

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

Requested Patent: EP1095565A1

Title:

WITHERING-PREVENTING AND QUICK-ACTING NUTRITION SUPPLEMENTING  
AGENT FOR GRAMINEOUS PLANTS ;

Abstracted Patent: EP1095565 ;

Publication Date: 2001-05-02 ;

Inventor(s):

KURAUCHI MASAHIKO (JP); MIYAZAWA YUKI (JP); SATO HIROYUKI (JP);  
TAKEUCHI MAKOTO (JP) ;

Applicant(s): AJINOMOTO KK (JP) ;

Application Number: EP20000309453 20001026 ;

Priority Number(s): JP19990308281 19991029 ;

IPC Classification: A01N43/36 ;

Equivalents: CN1294101, JP2001131009 (JP01131009)

ABSTRACT:

Herein is disclosed a withering-preventing and quick-acting nutrition supplementing agent for a gramineous or the like plant such as a lawn grass or the like which agent comprises, as the effective ingredient(s), proline alone or both proline and inosine concurrently, according to which a withering preventing and quick-acting nutrition supplementing agent which is not a chemical fertilizer and does not adversely affect environment and humans and animals, as well as a method for applying the same, can be provided.

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11)

**EP 1 095 565 A1**

(12)

**EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
02.05.2001 Bulletin 2001/18

(51) Int Cl.7: **A01N 43/36**  
// (A01N43/36, 43:90)

(21) Application number: 00309453.9

(22) Date of filing: 26.10.2000

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**  
**MC NL PT SE**  
Designated Extension States:  
**AL LT LV MK RO SI**

(30) Priority: 29.10.1999 JP 30828199

(71) Applicant: **Ajinomoto Co., Inc.**  
Tokyo 104-8315 (JP)

(72) Inventors:  
• **Miyazawa, Yuki, c/o Aminoscience Laboratories**  
**Kawasaki-shi, Kanagawa-ken 210-8681 (JP)**

- **Kurauchi, Masahiko,**  
**c/o Aminoscience Laboratories**  
**Kawasaki-shi, Kanagawa-ken 210-8681 (JP)**
- **Takeuchi, Makoto**  
**Chuo-ku, Tokyo 104-8315 (JP)**
- **Sato, Hiroyuki, c/o Aminoscience Laboratories**  
**Kawasaki-shi, Kanagawa-ken 210-8681 (JP)**

(74) Representative: **Nicholls, Kathryn Margaret et al**  
**MEWBURN ELLIS**  
**York House**  
**23 Kingsway**  
**London WC2B 6HP (GB)**

(54) **Withering-preventing and quick-acting nutrition supplementing agent for gramineous plants**

(57) Herein is disclosed a withering-preventing and quick-acting nutrition supplementing agent for a gramineous or the like plant such as a lawn grass or the like which agent comprises, as the effective ingredient(s), proline alone or both proline and inosine concurrently,

according to which a withering preventing and quick-acting nutrition supplementing agent which is not a chemical fertilizer and does not adversely affect environment and humans and animals, as well as a method for applying the same, can be provided.

**EP 1 095 565 A1**

## Description

[0001] The present invention relates to a withering-preventing and quick-acting nutrition supplementing agent for a plant such as a gramineous plant, more particularly to a withering-preventing and quick-acting nutrition supplementing agent for a plant such as a gramineous plant which agent comprises proline which is effective for, e.g., a lawn grass going to wither and die by a stress caused by temperature pruning or leaf rot disease.

[0002] Hitherto, some examples have been known where an amino acid-related compound, e.g., proline is applied to a plant.

[0003] For example, (a) Japanese Patent Application Laid-open (Kokai) No. 67051/1973 discloses a fruiting and fruit-enlarging promoting agent containing at least one nucleoside or nucleotide and proline.

[0004] In respect to this fruiting and fruit-enlarging promoting agent, however, the target plants are entirely different from those plants to be applied with the withering-preventing and quick-acting nutrition supplementing agent for a gramineous plant such as a lawn grass according to the present invention, and the promoting agent necessitates concurrent use of a nucleoside or a nucleotide in combination with proline. In addition, the application method comprises performing foliar application (e.g., spraying or spreading the promoting agent onto the leaves) at intervals of one week by injecting dropwise the fruiting and fruit-enlarging promoting agent (concentration of 40 ppm) through a syringe for two months, and therefore, is obviously different from that of the present invention.

[0005] (b) Japanese Patent Application Laid-open (Kokai) No. 279405/1998 discloses a method for controlling pine tree-withering wherein a plant activating substance containing proline as the main ingredient and an alkaline ion water are sprayed to the above-ground parts of a pine tree and/or such a plant activating substance and an acidic ion water are fed to the subterranean parts of a pine tree.

[0006] However, this method for controlling pine tree withering is entirely different in target plants from the method for withering-prevention and quick-acting nutrition supplementation for a gramineous plant such as a lawn grass according to the present invention. In addition, according to the prior art method, a solution having a proline concentration of 30 to 300 ppm is applied and therefore, the application method is obviously different from that of the withering-preventing and quick-acting nutrition supplementing agent for a gramineous plant such as a lawn grass according to the present invention.

[0007] For example, lawns are utilized in many places such as parks, gardens and ball game fields, and are indispensable for golf courses or golf links. However, a large quantity of fertilizer and agricultural chemical is hitherto used for maintenance of lawn grass and the use has become a big problem in view of environmental aspect. For example, synthetic fungicides (agricultural chemicals) have hitherto been applied for controlling leaf rot disease of lawn grass, but there is a possibility that the application exerts undesirable influences on the natural environment.

[0008] Furthermore, a lawn grass, especially cold-district type grass, suffers indirectly growth stop and directly withering due to a stress caused by high temperatures, but there is only a measure of good air-ventilation against the problems.

[0009] As for gramineous plants such as a lawn grass, it is known to fertilize amino acids as the nitrogen source, but the amino acids are generally used in the form of a multi-component fertilizer such as a hydrolysate of plants or animals or a fermentation waste liquid, their components being indistinct. It is required to reduce fertilization in view of the problems of accumulation of minerals in the soil and so on, so that there is a demand for a quick-acting fertilizer (quick-acting nutrition supplementing agent) which can supply effectively a necessary amount of nitrogen. For this purpose, urea preparations for foliar application are frequently used, but the urea tends to accumulate in the soil and may cause phenomena such as leaf scorch and the like in some cases depending on the concentration. Accordingly, it has been required to develop a withering-preventing and quick-acting nutrition supplementing agent which can substitute for it.

[0010] It would be advantageous to provide a withering-preventing and quick-acting nutrition supplementing agent which is not a chemical fertilizer and does not adversely affect environment and humans and animals, as well as a method for applying the same.

[0011] As a result of extensive studies, the present inventors have first found that amino acids, especially proline, serine and the like exhibit a remarkable effect on prevention of withering of a gramineous plant, and that the effect is especially enhanced by combination with inosine among various nucleosides, and accomplished the present invention based on these findings.

[0012] Namely, the present invention relates to a withering-preventing and quick-acting nutrition supplementing agent for a plant such as a gramineous plant which agent comprises proline as the effective ingredient, and a method for withering prevention and quick-acting nutrient supplementation of a plant such as a gramineous plant which method comprises applying said withering-preventing and quick-acting nutrition supplementing agent to the soil or hydroponic water, or performing foliar application of said agent.

# BRIEF DESCRIPTION OF THE DRAWINGS

[0013] Figure 1 shows the state of the pot cultivation of the lawn grass plants on the 35th day from the transplantation (Example 1).

[0014] Figure 2 shows the state of the grass plants after washed with water on the 35th day from the transplantation (Example 1).

## DETAILED DESCRIPTION OF THE INVENTION

[0015] The following will explain the present invention in detail.

[0016] Gramineous plants, especially lawn grasses, rice plants, and pasture plants are included in the target plants to which the withering-preventing and quick-acting nutrition supplementing agent of the present invention is applied, and the agent is particularly effective to lawn grasses among them.

[0017] Proline is not necessarily required to be a purified product, and can be a hydrolysate of a protein or a mixture of amino acids containing a large quantity of proline unless it exerts an adverse effect such as salt damage, leaf scorch or the like. In the case of applying it through addition to hydroponic water, however, in order not to contaminate and rot the hydroponic water, proline is, needless to say, preferably in the form free from impurities which cause such contamination and rot.

[0018] The withering-preventing and quick-acting nutrition supplementing agent for a plant such as a gramineous plant or the like of the present invention, containing proline as the effective ingredient, may be in the form suitable for applying it through soil or hydroponic water, where it is dissolved in an appropriate solvent such as water. In the case of foliar application, a solution form (a liquid preparation) having a proline concentration of 0.2 to 29 ppm is effective. Moreover, the agent may be formulated into powder, granules, or tablets by using an appropriate filler, binder or the like. In the case of dissolving with a solvent, the agent may be formulated by adding a fungicide, a surfactant, or a preservative from the viewpoint of prevention of rot. Furthermore, in the case of foliar application, concurrent use with a spreading/adhering agent is effective.

[0019] With regard to suitable time for applying the withering-preventing and quick-acting nutrition supplementing agent of the present invention, in the case of lawn grasses, pasture plants and the like, application as an additional fertilizer, application after mowing grass, application at the beginning of withering or the like may be exemplified.

[0020] Examples of the fertilization method (the application method) include foliar application, soil application, and addition to hydroponic water. It is particularly effective to apply proline to the above-ground parts to be absorbed from the leaves of a plant such as a lawn grass, and inosine to the soil to be absorbed from the roots. In this case, the withering-preventing and quick-acting nutrition supplementing agent for a lawn grass is not in the form containing both proline and inosine together, but proline and inosine are each applied separately but at not so long interval to the above-ground parts and the soil, respectively.

[0021] As has been mentioned above, with regard to inosine, the present inventors have found that the combination of inosine and proline is remarkably effective as compared with other combinations of proline and a nucleoside other than inosine such as the combination of uridine and proline, the combination of adenosine and proline, and the like.

[0022] Foliar application of proline not only prevents withering of a plant such as a gramineous plant but also is effective as a means of feeding nitrogen immediately and promoting the growth (a quick-acting nutrition supplementing agent).

[0023] Application rate or amount varies depending on the time of application, the kind of gramineous plants (lawn grasses, rice plants, pasture plants, and the like), the cultivation density, the growing stage, and so on. In short, the rate can be determined as those values at which the prevention of withering and the growth of, e.g., a lawn grass cultivated by using the withering-preventing and quick-acting nutrition supplementing agent of the present invention are superior to those of the lawn grass cultivated under entirely the same conditions with the exception that the withering-preventing and quick-acting nutrition supplementing agent of the present invention has not been applied. It is possible to determine the value by preliminary comparative test easy to carry out for those skilled in the art. As has been mentioned above, in the case of foliar application, a solution having a proline concentration of 0.2 to 29 ppm is particularly effective and such a low concentration can be employed. That is, prevention of withering and promotion of growth of a gramineous plant can be effected at such a low concentration.

[0024] In addition, application rate of inosine can be from 0.05 to 1 ppm to the soil (5 to 100 g per 100 tons of soil) in the case of soil application, for example. In the case of hydroponic cultivation, inosine can be applied in an amount of 0.1 to 5 ppm to the hydroponic water.

## EXAMPLE

[0025] The present invention will be described in greater detail below with reference to the example.

## Exempl 1 (hydroponic cultivation of a lawn grass)

[0026] Seedlings of a lawn grass (European grass, vergreen lawn grass) were cultivated and divided into eight groups of A to H, one group being composed of 80 stocks. Then, they were cultivated hydroponically under the conditions shown in the following Table 1. In the groups B to H, inosine and uridine were added to each hydroponic liquid in such amount that the concentration became as shown in the table, and proline was diluted with water such that the concentration became as shown in the table and sprayed onto the leaves every day. Group A was the control.

[0027] On the 35th day, five average stocks which had not been withered were sampled from each group. As will be shown in the table, at the root, leaf length and total weight of the living plants, better growth was found in the proline-treated plot, especially at a concentration of 2 ppm. Furthermore, it was confirmed that the effect became more remarkable when 2 ppm of inosine was used in combination. In the table, the number of days till the plants were withered means the number of days from transplantation of the seedlings till about 70 percent of the leaves were withered.

[0028] For reference, photographs of the state of the pot cultivations of the groups A to D on the 35th day from the transplantation of the lawn grass plants are shown in Figure 1. Furthermore, Figure 2 shows photographs of the state of every five stocks of the same four groups on the 35th day from the transplantation of the grass plants. From these photographs, better growth was also found in the proline-treated plot, especially at a concentration of 2 ppm, and it was confirmed that the effect became more remarkable when 2 ppm of inosine was used in combination.

Table 1: Comparison of the lawn grass plants (5 stocks each)

Group	Average root length (cm)	Leaf length (cm)		Total weight of living plant (g)	Number of days till the plants were withered	Remarks
		MIN.	MAX.			
A (Control)	3	6	18	0.19	20	Wilted and partially withered.
B (2 ppm inosine)	2	8	27	0.22	25	Wilted and partially withered.
C (2 ppm inosine and 2 ppm proline)	5	12	29	0.64	42	Both leaves and stems were thicker than those in group D.
D (2 ppm proline)	3	12	21	0.54	38	Both leaves and stems were thick.
E (10 ppm inosine and 2 ppm proline)	3	11	23	0.35	35	Partially wilted.
F (35 ppm proline)	2	8	20	0.28	28	Partially wilted.
G (0.1 ppm proline)	2	7	19	0.22	27	Partially wilted.
H (2 ppm uridine and 2 ppm proline)	2	7	23	0.23	27	Partially wilted.

[0029] According to the present invention, application of proline or proline and inosine inhibits and prevents withering of a gramineous plant such as a lawn grass, and also affords nutrition effects easily.

**Claim**

1. A withering-preventing and quick-acting nutrition supplementing agent for a gramineous plant which agent comprises proline as the effective ingredient.
2. The withering-preventing and quick-acting nutrition supplementing agent for a gramineous plant according to claim 1, wherein the agent is in the liquid form and the proline concentration is from 0.2 to 29 ppm.
3. A withering-preventing and quick-acting nutrition supplementing agent for a plant which agent comprises both proline and inosine together.
4. The withering-preventing and quick-acting nutrition supplementing agent for a plant according to claim 3, wherein the agent is in the liquid form and the proline concentration is from 0.2 to 29 ppm, and which agent is to be applied in an application amount of 0.05 to 1 ppm in terms of inosine to the soil in the case of applying to the soil or 0.1 to 5 ppm in terms of inosine to the hydroponic water in the case of hydroponic cultivation.
5. A withering-preventing and quick-acting nutrition supplementing agent for a gramineous plant which agent comprises both amino acid(s) and inosine together.
6. A method for withering-prevention and quick-acting nutrition supplementation of a plant which comprises performing foliar application of the withering-preventing and quick-acting nutrition supplementing agent for a plant according to any one of claims 1 to 5.
7. A method for withering-prevention and quick-acting nutrition supplementation of a plant which comprises using both proline and inosine in combination.
8. Use of proline in the treatment of a gramineous plant to increase resistance to withering and/or to provide quick-acting supplementation of nutrition.
9. Use of proline and/or one or more other amino acids and inosine in the treatment of a gramineous plant to increase resistance to withering and/or to provide quick-acting supplementation of nutrition.
10. Use according to claim 8 or claim 9 employing an agent as defined in any of claims 1-5.



Fig. 1





Fig. 2





European Patent  
Office

# PARTIAL EUROPEAN SEARCH REPORT

Application Number

which under Rule 45 of the European Patent Convention EP 00 30 9453  
shall be considered, for the purposes of subsequent  
proceedings, as the European search report

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	US 5 780 709 A (GORDON-KAMM WILLIAM ET AL) 14 July 1998 (1998-07-14) * column 1 *	1,2,6,8	A01N43/36 /(A01N43/36, 43:90)
A	EP 0 841 087 A (AJINOMOTO KK) 13 May 1998 (1998-05-13) * the whole document *		
X	WO 91 10726 A (US GOVERNMENT) 25 July 1991 (1991-07-25) * claim 1 *	1-5	
X	DATABASE WPI Week 198814 Derwent Publications Ltd., London, GB; AN 095011 XP002156733 & JP 63 045211 A (SANYO KOKUSAKU PULP CO). 26 February 1988 (1988-02-26) * abstract *	1,2,6,8	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			A01N
INCOMPLETE SEARCH			
<p>The Search Division considers that the present application, or one or more of its claims, does/do not comply with the EPC to such an extent that a meaningful search into the state of the art cannot be carried out, or can only be carried out partially, for these claims.</p> <p>Claims searched completely :</p> <p>Claims searched incompletely :</p> <p>Claims not searched :</p> <p>Reason for the limitation of the search:</p> <p>see sheet C</p>			
Place of search		Date of completion of the search	Examiner
MUNICH		9 January 2001	Bertrand, F
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background D : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application I : document cited for other reasons &amp; : member of the same patent family, corresponding document</p>			

EPO FORM 1505 (03.82) (P4/C27)

European Patent  
OfficeINCOMPLETE SEARCH  
SHEET CApplication Number  
EP 80 30 9453

Claims 5 and 6 were partially searched. These claims relate to compositions containing inosine and ANY amino acid(s), whereas it appears from the other claims and from the description, especially from the example and from page 6, paragraph 2, that proline is an essential feature of the invention. Thus, claims 5 and 6 have been considered to relate to compositions which can contain various amino acid(s) but ALWAYS proline in addition to the inosine.



European Patent  
Office

## PARTIAL EUROPEAN SEARCH REPORT

Application Number  
EP 00 30 9453

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
D,X	<p>DATABASE WPI Week 199901 Derwent Publications Ltd., London, GB; AN 005099 XP002156734 &amp; JP 10 279405 A (MITSUI PETROCHEM IND CO LTD), 20 October 1998 (1998-10-20) * abstract *</p> <p>-----</p>	1,2,6,8	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)

EPO FORM 1803 (03.82) (P04C10)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 30 9453

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

09-01-2001

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5780709 A	14-07-1998	AU 1706597 A	11-08-1997
		BR 9707017 A	20-07-1999
		CA 2243269 A	24-07-1997
		EP 0889967 A	13-01-1999
		HU 9900514 A	28-05-1999
		WO 9726365 A	24-07-1997
		ZA 9700398 A	19-10-1998
		AU 712874 B	18-11-1999
		AU 5640498 A	04-06-1998
		AU 684105 B	04-12-1997
		AU 7716994 A	21-03-1995
		BR 9407355 A	19-08-1997
		CA 2170260 A	02-03-1995
		EP 0721509 A	17-07-1996
		HU 74392 A	30-12-1996
		WO 9506128 A	02-03-1995
		US 6118047 A	12-09-2000
		ZA 9406488 A	30-11-1995
		ZA 9604217 A	26-08-1996
EP 0841007 A	13-05-1998	JP 2927269 B	28-07-1999
		JP 10182317 A	07-07-1998
		CN 1183899 A	10-06-1998
		US 6143695 A	07-11-2000
WO 9110726 A	25-07-1991	AT 145235 T	15-11-1996
		AU 653927 B	20-10-1994
		AU 7300191 A	05-08-1991
		DE 69123140 D	19-12-1996
		DE 69123140 T	03-04-1997
		DK 512066 T	02-12-1996
		EP 0512066 A	11-11-1992
		JP 7089954 B	04-10-1995
		JP 5502379 T	28-04-1993
JP 63045211 A	26-02-1988	JP 1850149 C	21-06-1994
		JP 5067121 B	24-09-1993
JP 10279405 A	20-10-1998	NONE	

EPO FORM P0439

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82